

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	142	((hardware or physical) with security) same default	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 10:01
L2	105	((hardware or physical) with security) with default	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 10:01
L3	31748	"380".CLAS. or "713".CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 10:02
L4	40	2 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 10:02
S1	642	(hardware or physical) same security and (default adj value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 10:00
S2	242	((hardware or physical) same security and (default adj value)) and (hard adj (disk or drive))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 17:11
S3	2	"6336187".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 11:18
S4	108649	(hardware or physical or device or drive\$2 or low\$2) adj (level\$ or bas\$2) and (security or protecti\$2 or authenticat\$ or validat\$ or verif\$ or authoriz\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 14:59
S5	13658	(hardware or physical or device or drive\$2 or low\$2) adj (level\$ or bas\$2) same (security or protecti\$2 or authenticat\$ or validat\$ or verif\$ or authoriz\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 16:59
S6	6288	(hardware or physical or device or drive\$2 or low\$2) adj (level\$ or bas\$2) with (security or protecti\$2 or authenticat\$ or validat\$ or verif\$ or authoriz\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 16:16

S7	939	"4".ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 15:01
S8	2430	((hardware or physical or device or drive\$2 or low\$2) adj (level\$ or bas\$2) with (security or protecti\$2 or authenticat\$ or validat\$ or verif\$ or autoriz\$)) and (software or OS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 16:08
S9	112	"4".ab. and (software or OS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 15:55
S10	40	("4".ab. and (software or OS)) and (security same (code\$2 or key\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 16:23
S11	162	((((hardware or physical or device or drive\$2 or low\$2) adj (level\$ or bas\$2) with (security or protecti\$2 or authenticat\$ or validat\$ or verif\$ or autoriz\$)) and (software or OS)) and ((hardware adj identification adj code) or (security adj (code or key))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 16:12
S12	2180	((((hardware or physical or device or drive\$2 or low\$2) adj (level\$ or bas\$2) with (security or protecti\$2 or authenticat\$ or validat\$ or verif\$ or autoriz\$)) and (software or OS)) and (user\$2 or host\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 16:27
S13	41409	(hardware or storage or drive) and (security) and (software or OS) and (user\$2 or host\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 16:29
S14	12883	(hardware or storage or drive) same (security) and (software or OS) and (user\$2 or host\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 16:30
S15	6527	(hardware or storage or drive) same (security) same (user\$2 or host\$2) and (software or OS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 16:30

S16	2840	(hardware or storage or drive) with (security) same (user\$2 or host\$2) and (software or OS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 16:32
S17	2507	(hardware or storage or drive) with (security) same (user\$2 or host\$2) and (code or key) and (software or OS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 17:07
S18	517	(hardware or storage or drive) with (security) same (user\$2 or host\$2) with (code or key) and (software or OS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 16:35
S19	18708	(hardware or storage) and (security or authenticat\$ or verif\$ or validat\$) and disk and host	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 17:14
S20	6542	(hardware or storage) same (security or authenticat\$ or verif\$ or validat\$) and disk and host	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 17:15
S21	459	(hardware or storage) same (security or authenticat\$ or verif\$ or validat\$) same disk same host	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 17:16
S22	19	"31".ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 17:17
S23	8	"6360282".pn. or "6351817".pn. or "6609199".pn. or "20040015694".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/27 16:15
S24	2	"6697806".pn. or "5774551".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/03 12:32
S25	1	"6336187".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 10:19
S26	30	BIOS adj password\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 10:40

S27	226	BIOS with password\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 10:40
S28	137	((BIOS with password\$2) and @ay<="2000"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 10:41
S29	0	((BIOS with password\$2) and @ay<="2000") and (CMOS adj setting)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 10:42
S30	8	((BIOS with password\$2) and @ay<="2000") and (CMOS with setting)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 10:51
S31	15	((hard adj drive) with (security adj code\$))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 13:24
S32	45	((hardware or drive) adj level\$2) with (protection or security))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 11:07
S33	1	((hardware or drive) adj level\$2) with (protection or security)) and (hardware adj security adj code\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 11:45
S34	698	password with (terminat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 11:46
S35	265	password near4 (terminat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 11:47
S36	9	check\$3 with password near4 (terminat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 11:50
S37	35	check\$3 with password with terminat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 11:50
S38	286	((hard adj drive) with (protect\$3 or (security adj code\$)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 13:34

S39	2	hardware adj security adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 13:36
S40	414	hardware adj security	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 13:36
S41	9	((((hard adj drive) with (protect\$3 or (security adj code\$)))) and (hardware adj security)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 13:48
S42	1	"6219771".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 13:48
S43	1157	security with default	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 15:17
S44	21	(hardware adj security) and (security with default)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 15:19
S45	16	default with (no adj security)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 15:28
S46	3074	security adj (process\$2 or task\$2 or module\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/28 11:30
S47	27	separate adj security adj (process\$2 or task\$2 or module\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/28 11:33
S48	5	separate adj security adj (process\$2 or task\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/28 11:36
S49	1446	security adj (process\$2 or task\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/28 11:49
S50	134	device adj driver adj (process or task)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/28 11:37

S51	1	(security adj (process\$2 or task\$2)) and (device adj driver adj (process or task))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/28 11:49
S52	61	security adj (process\$2 or task\$2) with code\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/28 12:07
S53	1	"6370599".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/28 12:07
S54	18	(security adj code\$2) with (unique) with (storage)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 11:51
S55	1131	(tape adj drive\$2) and back\$1up and security	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 10:35
S56	340	(tape adj drive\$2) same back\$1up and security	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 10:35
S57	257	(tape adj drive\$2) with back\$1up and security	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 10:35
S58	2	(tape adj drive\$2) with back\$1up and (security adj code\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 10:36
S59	4	(tape adj drive\$2) same back\$1up and (security adj code\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 11:07
S60	45	(tape adj drive\$2) and back\$1up and (security adj code\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 11:41
S61	0	(tape adj drive\$2) and back\$1up and (unique adj security adj code\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 11:09
S62	0	(tape adj drive\$2) and back\$1up and (unique with (security adj code\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 11:11

S63	2	(tape adj drive\$2) and back\$1up and (unique same (security adj code\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 11:24
S64	5	(tape adj drive\$2) and (unique with (security adj code\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 11:27
S65	10	(tape adj drive\$2) and (unique same (security adj code\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 11:29
S66	5	(unique adj security adj code) with storage	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 12:02
S67	1	"6468160".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 11:51
S68	16	(unique adj security) with storage	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 11:59
S69	43	password same ((pre\$1determined adj number) same (terminat\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 15:34
S70	0	password same ((pre\$1determined adj number) same (terminat\$3 with job\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 15:34
S71	1	password and ((pre\$1determined adj number) same (terminat\$3 with job\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 15:35